

CUSTOMER/VEHICLE INFO

013	COMMERCIAL
161	2 SPOKE LEATHER GRIP, SATIN AL
492	MACK MDRIVE-PREMIUM SHIFTER
943	WITHOUT CHASSIS FAIRINGS
966	WITHOUT SUN VISOR PAINT
A19	2019 MODEL YEAR
PRICE BOOK LEVEL	2008-10-07
CHASSIS (BASE MODEL)	ANTHEM 64T DAYCAB
CUSTOMER FLEET SIZE	REGIONAL FLEET 25 OR MORE VEHI
ORDER TYPE REQUIREMENTS	RETAIL OR STOCK - CUSTOM SPECI
INITIAL REGISTRATION LOCATION	CANADA, CARB ENGINE EMISSION (
LANGUAGE-PUBS/DECAL/SIGNS	FRENCH
TRANSPORT CYCLE	MORE THAN ONE DELIVERY OR PICK
VEHICLE USE & BODY/TRAILER TYPE	VAN TRAILER
GROSS COMBINATION WEIGHT	121,000 LB GROSS COMBINATION W
TOPOGRAPHY	GRADES <6% DUR >98% OF DRIV D
TERRAIN GRADE	ON HIGHWAY, STARTING GRADES<16
LOADING SURFACE	CONCRETE LOADING AND / OR UNLO
VEHICLE VOCATION	LINEHAUL / LONG HAUL SERVICE
VEHICLE WARRANTY TYPE	HEAVY DUTY WARRANTY CLASSIFICA

APPLICATION PACKAGES

SPECIAL SALES PACKAGE	WITHOUT SPECIAL SALES PACKAGE
PILOT INSPECTION	NO PILOT REQUESTED

ENGINE/TRANSMISSIONS

PRE-VIEW TOPOGRAPHY	WITHOUT PRE-VIEW TOPOGRAPHY
ENGINE PACKAGE	MP8-505C MACK 505HP @ 1500-170
GHG APPLICATION, VEHICLE	GREEN HOUSE GAS HIGHWAY APPLIC
GEAR SELECTION TUNING	GEAR SELECTION TUNING, BASIC
SUSPENSION PRESSURE DETECTION	WITHOUT SUSPENSION PRESSURE DE
SCALABLE ROAD SPEED LIMITER	WITHOUT SCALABLE ROAD SPEED LI
TRANSMISSION	TMD12AFO-HD MDRIVE HD 12 SP-MA
TRANSMISSION ELECTRONICS	WITHOUT TRANSMISSION
ENGINE GOVERNOR TYPE	ENGINE GOVERNOR TYPE MIN-MAX

EXHAUST/EMISSIONS

CARB 2008 IDLE REGULATION	IDLE EMISSION CERTIFICATION, C
DPF COVER	DPF COVER STAINLESS STEEL, POL
DPF DIESEL PARTICULATE FILTER	CLEARTECH ONE BOX E.A.T.S. RH
EXHAUST STACK HEIGHT	EXHAUST STACK 3.8 METRE, HEIGH
EXHAUST	NO MUFFLER, SINGLE (R/S) VERTI
EXHAUST HEAT SHIELD TYPE	EXHAUST HEAT SHIELD TYPE, BASI
DEF TANK	70L / 26" DIA SEMI TANK LEFT S
DEF TANK COVER	DEF TANK COVER, BRIGHT FINISH
EXHAUST SYSTEM MATERIAL FINISH	BRIGHT SINGLE EXHAUST SYS MAT'
EMISSION ON BOARD DIAG CONTROL	EMISSION OBD, DISPLAY ONLY, US
EPA SMARTWAY TRANSPORT	WITHOUT SMARTWAY TRANSPORT

ENGINE EQUIPMENT

AIR CLEANER	11" SINGLE ELEMENT DONALDSON
AIR INTAKE SOURCE	AIR INTAKE SOURCE, HOOD OUTSI
BUG SCREEN	BLACK ALUM MOUNTED BEHIND GRIL
AIR COMPRESSOR	MERITOR/WABCO 318 (18.7 CFM)
PRIMARY FUEL FILTER POSITION (CA)	STANDARD FUEL FILTER POSITION
ALTERNATOR	12V135A DELCO 35SI (135 AMP)
BATTERIES	4-12V MACK M/F 31
COOLING PERFORMANCE	NARROW RADIATOR WITH LENGTH 2
COOLANT PROTECTION	CHEVRON FULLY FORMULATED COOLA
COOLANT FILTER / CONDITIONER	WITH FILTER/CONDITIONER
FAN DRIVE	BEHR FAN & ELECTRONIC MODULATI
ENGINE BRAKE	MACK ENGINE BRAKE POWER LEASH
FUEL-WATER SEPARATOR	MACK INTEGRAL INCLUDES MANUAL
AUX. FUEL SYSTEM EQUIPMENT	WITHOUT AUX. FUEL SYSTEM EQUIP
FUEL EQUIPMENT WATER HEATER (CA)	WITHOUT FUEL HEATER EQUIPMENT

BATTERY BOX - MOUNTING	4 BATTERY MAX, MTD LHS UNDER
BATTERY BOX COVER	POLISHED ALUMINUM BATTERY BOX
BATTERY DISCONNECT SWITCH	W/O BATTERY DISCONNECT SWITCH
EMERGENCY START STUDS	WITHOUT EMERGENCY START STUDS
HOSES - RADIATOR/HEATER	SILICONE
STARTER	12V STANDARD STARTER DELCO 39M
OIL PAN	OIL PAN STEEL
TETHER DEV PKG, CAPS & COVERS	TETHER DEVICE PKG 1 (OIL FILL
ENGINE BLOCK HEATER	110 VOLT / 1.5 KW, PHILLIPS EN
ENGINE OIL PAN HEATER	WITHOUT ENGINE OIL PAN HEATER
ENGINE STARTING AID	WITH ELECTRIC PREHEATER
BREATHER FILTER	WITHOUT BREATHER FILTER
ENGINE OIL DRAIN KIT	WITHOUT ENGINE OIL DRAIN KIT
ENGINE BRAKE LIGHTING (CA)	BRAKE LIGHTING, BASIC
BATTERY SHOCK PADS	BATTERY SHOCK PADS
SMART IDLE ELEVATED IDLE RPM TIME	INCREASE 10 MINUTE MAXIMUM TIM
CLUTCH/TRANS EQUIPMENT	
CLUTCH	ZF/SACHS SINGLE PLATE 17" (430
DRIVELINE - MAIN	DANA/SPICER SPL250HDXL EXTENDE
DRIVELINE - INTERAXLE	DANA-SPICER SPL170XL EXTENDED
CLUTCH ACTUATION SYSTEM	WITHOUT CLUTCH ACTUATION SYSTE
LUBRICANTS, TRANSMISSION	SYNTHETIC OIL IN TRANSMISSION,
CLUTCH PEDAL PAD	WITHOUT CLUTCH PEDAL
TRANSMISSION OIL COOLER	OIL COOLER - M-DRIVE GEAR BOX
PROP SHAFT BEARING GUARD	WITHOUT PROP SHAFT BEARING GUA
PROPELLR SHAFT MAIN, UNVSL JNT	PROPELLER SHAFT MAIN, UNIVERSA
HILL START ASSIST	HILL START ASSIST
TRANSMISSION OUTPUT TORQUE	TRANSMISSION OUTPUT TORQUE BAS
PROP SHAFT INTERAXL UNIV JOINT	PROP SHAFT INTERAXLE, UNIV JOI
BELL HOUSING	ALUMINUM BELL HOUSING
CLUTCH BRAKE	WITHOUT CLUTCH BRAKE
CLUTCH LUBE LINE	WITHOUT LUBELINE BETWEEN RELEA
TRANSMISSION TORQUE CONVERTER	W/O TRANSMISSION TORQUE CONVER
TRANSMISSION ADAPTATION RING	WITHOUT TRANSMISSION ADAPTATIO
TRANSMISSION OIL MONITORING (CA)	WITHOUT TRANSMISSION OIL MONIT
ENGINE START CONDITION	WITHOUT ENGINE START CONDITION
TRANS SHIFT MODE POINTS	MACK MDRIVE- ENHANCED PERFORMA
TRANSMISSION PROTECTION	WITHOUT TRANSMISSION PROTECTIO
ECONO ROLL	ECONO ROLL DISABLE MDRIVE (REQ
mDRIVE MACKCELLERATOR	TRANS. KICK-DOWN MODE, ENABLED
FRONT AXLE EQUIPMENT	
FRONT AXLE	FXL13.2 13200 LB-MACK (HIG
SPRINGS - FRONT	13,200 LB TAPERLEAF 6000 KG
BRAKE, FRONT	CAST IRON BRAKEDRUM, FRONT AXL
FRONT AXLE BRAKES	MERITOR "S" CAM 16.5" X 5"
FRONT AXLE BRAKE DUST SHIELD	FRONT BRAKES WITH DUST SHIELDS
FRONT BRAKE ADJ. MANUFACTURE	FRONT BRAKE ADJUSTMENT, AUTOMA
FRONT BRAKE CHAMBER MFG.	FRONT BRAKE CHAMBER MANUFACTUR
FRONT HUBCAP TYPE	BASIC HUBCAP, FRONT
SPINDLE NUTS, FRONT	BASIC (NO OPTION) SPINDLE NUTS
HUB OIL SEAL, FRONT	FAG SCHAEFFLER, FRONT HUB OIL
BRAKE LINING MATERIAL FRONT	BRAKE LINING MATERIAL FRONT, M
HUB MATERIAL, FRONT	BASIC MATERIAL HUB (STEEL/CAST
STEERING	TAS-66 TRW-POWER (INTEGRAL)
FRONT SUSP MAINTENANCE	MAINTENANCE FREE, RUBBER
LUBRICANTS, FRONT AXLE	PETROLEUM/SYNTHETIC (50/50) OI
FRONT BRAKE CHAMBER SIZE	FRONT BRAKE CHAMBER 24SQ INCHE
BRAKE REGULATION	BRAKE REGULATION, STOPPING DIS
REAR AXLE EQUIPMENT	
REAR AXLES - TANDEM	RT46-164EH 46000 LB. MERITOR
REAR AXLE CASING WIDTH	REAR AXLE CASING WIDTH, STANDA
LUBE PUMP, REAR AXLE	WITHOUT LUBE PUMP ,REAR AXLE

<i>CARRIER - REAR AXLE</i>	VENDOR CARRIER
<i>REAR AXLE RATIO</i>	RATIO 3.58, REAR AXLE
<i>REAR SUSPENSION - TANDEM</i>	AL461-MACK AIR SUSP
<i>REAR SUSP. BEAM BUSHINGS</i>	WITHOUT REAR SUSP. BEAM BUSHIN
<i>BOGIE SPREAD, REAR</i>	BOGIE SPREAD, 1320MM (52.0")
<i>SUSPENSION LEVELLING DEVICE</i>	ELECTRICAL REGULATION LEVELING
<i>AIR SUSPENSION DUMP WARNING</i>	AIR SUSPENSION DUMP, SPEED LIM
<i>REAR SHOCK ABSORBER</i>	WITH SHOCK ABSORBER .REAR
<i>TRANSVERSE TORQUE RODS, R SUSP</i>	REAR SUSP TRANSVERSE TORQUE RO
<i>BRAKES - REAR</i>	MERITOR-CAM 16.5X8 5/8" Q PLUS
<i>AUX.SPRING BRAKE QTY</i>	AUX SPRING BRAKE QTY, 4 CHAMBE
<i>BRAKE DRUMS/ROTORS - REAR</i>	CAST IRON BRAKE DRUMS
<i>REAR BRAKE ADJ MANUFACTURE</i>	REAR BRAKE ADJUSTMENT, AUTOMAT
<i>REAR BRAKE CHAMBER SIZE</i>	REAR BRAKE CHAMBER 30 / 30 SQ
<i>DRIVE AXLE BRAKE DUST SHIELD</i>	REAR DRIVE BRAKES WITH DUST
<i>BRAKE LINING MATERIAL DRIVE</i>	BRAKE LINING MATERIAL DRIVE, M
<i>HUB MATERIAL, DRIVE</i>	ALUMINUM PRESET HUB, DRIVE W/
<i>HUB OIL SEAL, DRIVE</i>	PREMIUM HUB OIL SEAL, DRIVE
<i>POWER DIVIDER LOCKOUT</i>	POWER DIVIDER LOCKOUT, W/BUZZE
<i>LUBRICANTS, REAR AXLE</i>	PETROLEUM OIL IN REAR AXLE
<i>REAR SPRING INSULATOR MAT'L</i>	WITHOUT REAR SPRING INSULATOR
<i>SPRING BRAKE CHAMBERS - VENDOR</i>	HALDEX "GOLD SEAL" TYPE BRAKE
<i>TRACTION DIFFERENTIAL</i>	DRVR CONT INTR WHEEL DIFF LOCK
<i>SPINDLE NUTS, MAIN AXLE</i>	SPINDLE NUTS, MAIN AXLE, INTER
<i>ABS SENSOR & MODULATOR</i>	ABS 4 SENSORS & 4 MODULATORS (
<i>ANTI-LOCK BRAKE SYSTEM</i>	MACK ROAD STABILITY ADVANTAGE
<i>BRAKE VALVE VERSION</i>	BRAKE VALVE VERSION, USA-BENDI
<i>TRACTION CONTROL DISABLE</i>	TRACTION CONTROL FULL DISABLE
<i>SPRING BRAKE INVERSION VALVE</i>	WITHOUT SPRING BRAKE INVERSION
PUSHER/TAG AXLE EQUIPMENT	
<i>TRAIL. AXLE BRAKE DUST SHIELD</i>	TRAILING BRAKES WITHOUT DUST
<i>AUXILIARY AXLE CONTROLS</i>	WITHOUT AUXILIARY AXLE CONTROL
<i>AUX AXLE CTRL VALVE LOCATION</i>	WITHOUT AUXILIARY AXLE CONTROL
FRAME EQUIPMENT/FUEL TANKS	
<i>WHEELBASE</i>	191"
<i>AF (OVERHANG)</i>	56"
<i>FRAME RAILS</i>	STEEL - 266MM X 90MM X 8MM --
<i>FRONT FRAME EXT. (BOLTED ON)</i>	WITHOUT FRONT FRAME EXTENSION,
<i>FRONT FRAME LENGTH</i>	FRONT FRAME LENGTH 1285MM
<i>CROSSMEMBERS</i>	STEEL
<i>FRAME RAIL FREE SPACE</i>	WITHOUT FRAME RAIL CLEARANCE
<i>FUEL TANK POLISH OPTION</i>	FUEL TANK, POLISHED
<i>REAR CROSSMEMBER OPTIONS</i>	REAR X-MBR TAPERED/COVERED FLA
<i>REAR FRAME TREATMENT</i>	TAPERED CUT TREAT 28 DEGREES,R
<i>MUDFLAP HANGERS, REAR AXLE</i>	BETTS, STAINLESS STEEL ANGLED
<i>MUDFLAP TYPE, REAR AXLE</i>	1STIFF (ANTI-SAIL) MUD FLAP, R
<i>MUDFLAP, FRONT AXLE</i>	WITHOUT MUDFLAP, FRONT AXLE
<i>FRONT BUMPER</i>	BUMPER AERODYNAMIC (WITH BLACK
<i>GUARD, UNDER ENGINE BAYT</i>	GUARD - RADIATOR
<i>AUX CROSSM. IN REAR OVERHANG</i>	WITHOUT AUXILILARY CROSSMEMBER
<i>CROSSMEMBER, BOGIE TYPE</i>	WITHOUT CROSSMEMBER, BOGIE
<i>TOWING DEVICE, FRONT</i>	TWO CLEVIS TOWING DEVICE, FRON
<i>TOWING COUPLING</i>	WITHOUT TOWING COUPLING
<i>TOWING DEVICE,REAR</i>	WITHOUT TOWING DEVICES ,REAR
<i>FUEL TANK - LH</i>	117 GAL ALUM (442 LITERS) 26IN
<i>FUEL LEVEL SENDER UNIT, LIQUID</i>	BASIC FUEL LEVEL SENDER MOUNTE
<i>FUEL TANK - RH</i>	93 GAL ALU (350 LITERS) 26IN
<i>TOOLBOX CHASSIS</i>	WITHOUT TOOLBOX CHASSIS
<i>FUEL HOSES, LIQUID</i>	FUEL HOSES, BASIC
<i>FILLER NECK SCREENS</i>	W/O FILLER NECK SCREEN W/O
<i>FUEL LINE OPTIONS, LIQUID</i>	FULE LINE OPTION, DUAL DRAW
<i>FUEL TANK CAP</i>	NON-LOCKABLE FUEL TANK CAP
<i>FUEL TANK MODIFICATION (CA)</i>	W/O FUEL TANK MODIFICATION OPT

<i>STEPS (BRIGHT) - FUEL TANK</i>	STD FINISH STEPS & B.F. STRAPS
<i>MUD FLAP BRACKETS</i>	W/O REAR AXLE FENDERS
<i>ISOLATE TANK FROM FUEL SYSTEM</i>	WITHOUT HYDRAULIC TANK POSITIO
AIR/BRAKE	
<i>AIR DRYER - MANUFACTURER</i>	WABCO AIR DR, 1200UP W/ T CUT
<i>AIRTANK DRAIN VALVE</i>	MANUAL DRAIN VALVES, LANYARD O
<i>AIRTANK MATERIAL</i>	ALUMINUM AIRTANK
<i>AIR DRYER POSITION (CA)</i>	AIR DRYER POSITION STANDARD
<i>PARK BRAKE ALARM (CA)</i>	WITHOUT PARK BRAKE ALARM
<i>PARKING BRAKE VALVE</i>	PARK BR VALVE, 1 YELLOW KNOB,
<i>RELOCATE AIR RESERVOIRS</i>	W/O RELOCATED AIR RESERVOIRS
<i>AUXILLIARY AIRTANK</i>	WITHOUT AUX. AIRTANK
<i>TRAILER ACCESS PACKAGE</i>	REAR DECK, LOW PROFILE(US=20")
ELECTRICAL	
<i>CHASSIS WIRING HARNESS CASING</i>	CHASSIS WIRING HARNESS CASING,
<i>AUXILIARY PNEUMATIC OUTLET CAB</i>	WITHOUT AUXILIARY PNEUMATIC OU
<i>AUXILIARY SPOTLIGHT (CA)</i>	WITHOUT AUXILIARY SPOTLIGHT
<i>DASH PANEL BOX</i>	WITHOUT DASH PANEL BOX
<i>BACK-UP ALARM</i>	WITHOUT BACK-UP ALARM
<i>AUX. FOG LAMP</i>	WHITE FOG LAMP
<i>AUXILIARY LAMPS</i>	WITHOUT AUXILIARY LAMPS
<i>TAIL LAMPS</i>	TAIL LAMP & STOP LED, BACK UP
<i>DASH MOUNTED SWITCHES</i>	WIRING FOR TWO AUX. SWITCHES
<i>MARKER/DIRECTIONAL SIGNAL</i>	TRUCKLITE LED SIGNAL UNDER DOO
<i>DAYTIME RUNNING LIGHTS</i>	DRL WHEN ENG RUNNING, PARK BRA
<i>WARNING LAMP</i>	WITHOUT WARNING LAMP
TRAILER CONNECTIONS	
<i>FIFTH WHEEL</i>	AIR HOLLAND FW35 ILS SERIES LE
<i>5TH WHEEL MOUNTING BRACKETS</i>	FIFTH WHL ANG MTG FOR SLIDING
<i>FIFTH WHEEL ANGLE MATERIAL (CA)</i>	STEEL FIFTH WHEEL ANGLES
<i>5TH WHEEL ANGLE THICKNESS</i>	5TH WHEEL ANGLE, 10MM THICKNES
<i>5TH WHEEL OFFSET</i>	(26") 660MM BEHIND THE REAR AX
<i>RAMP (SLIDE MEMBER) (CA)</i>	WITHOUT RAMP
<i>GROUND TO 5TH WHEEL TOP HGT.</i>	1206MM (47.5") GROUND TO 5TH W
<i>TRAILER GLAD HAND COUPLINGS</i>	TRAILER BRAKE CONNECTION
<i>TRAILER BRAKE VALVE</i>	1 VALVE, TRAILER BRAKE
<i>TRAILER CONNECTION POSITION</i>	TRAILER BRAKE CONNECTIONS POSI
<i>ELECTRICAL RECEPT, AUX POWER</i>	WITHOUT ELECTRICAL RECEPT. AUX
<i>TRAILER BRAKE HOSEHANGER</i>	TRLR BRK HOSEHANGER TOWEL BAR
<i>TRAILER ELECTRICAL RECEPT</i>	SINGLE 7 PINS SAE HOT CENTER P
<i>TRAILER BRAKE HOSES & CABLES</i>	TRAILER BRAKE HOSE STRAIGHT (3
<i>TRAILER HOOKUP LIGHT</i>	SINGLE TRUCKLITE SUPER-44 LED,
<i>TRAILER CONNECTORS HOLDER</i>	TRAILER CONNECTORS HOLDER, 2 A
<i>TRAILR ELECTRICAL CABLE CONFIG</i>	TRAILR ELECTRCAL CABLE CONFIG,
PTO/SPECIALTY EQUIPMENT	
<i>EXTERIOR BRIGHT WORK</i>	EXTERIOR BRIGHT WORK LEVEL 2
<i>HYDRAULIC PUMP</i>	W/O HYDRAULIC PUMP
<i>FRAME MODIFICATIONS</i>	NO FRAME MODIFICATIONS PROVIDE
<i>CERTIFIED WEIGHT</i>	CUSTOMER GUARANTEED WEIGHT, MU
<i>RUST PROTECTION, ADDITIONAL (CA)</i>	WITHOUT TRANSP. RUST PROTECTIO
<i>REAR ENGINE PTO</i>	W/O REAR ENGINE PTO
<i>POWER TAKE OFF CONTROL</i>	WITHOUT POWER TAKE OFF CONTROL
<i>PTO TRANS NEUTRAL CONTRL CHECK</i>	WITHOUT PTO TRANSMISSION NEUTR
<i>ON BOARD SCALES</i>	W/O ON BOARD SCALES
<i>BULK UNLOADING ADAPTATION</i>	WITHOUT BULK UNLOADING ADAPTAT
<i>COLLISION WARNING SYSTEM</i>	W/O COLLISION WARNING SYSTEM O
<i>PTO TRANS SIDE, FREE SPACE</i>	WITHOUT PTO TRANSMISSION SIDE,
<i>BODY BUILDER INTERFACE</i>	W/O BODY BUILDER INTERFACE
<i>LANE SUPPORT SYSTEM (CA)</i>	WITHOUT LANE SUPPORT SYSTEM
<i>ACC TIME GAP CONFIG SETTING</i>	WITHOUT ADJUSTABLE TIME GAP CO
<i>UNIQUE DECALS MACHINE DIRECTIV</i>	WITHOUT DECALS
<i>(CA)</i>	
<i>PTO - REAR MOUNTED</i>	W/O REAR MTD PTO - (MDRIVE ONL

CAB (A THRU G)

<i>DOME LAMP, INTERIOR</i>	DOME LAMP, INTERIOR, 2 EACH SI
<i>GAUGES-UNIT OF MEASURE</i>	METRIC PREDOMINANT- ROADSPEED
<i>GAUGE OIL TEMP-REAR AXLE</i>	REAR AXLE OIL TEMP GAUGE
<i>GAUGE MANIFOLD PRESSURE</i>	MANIFOLD PRESSURE GAUGE-ELECTR
<i>GAUGE, REAR AIR SUSP PRESSURE</i>	REAR AIR SUSPENSION GAUGE
<i>GAUGE TRANSM. OIL TEMP</i>	TRANSMISSION OIL TEMP GAUGE
<i>GAUGE EXHAUST PYROMETER</i>	EXHAUST PYROMETER GAUGE
<i>SERVICE TRAILER BRAKE PRESSURE</i>	BRAKE PRESSURE APPLICATION GAU
<i>FLOOR COVERING</i>	POLYURETHANE FLOOR MAT W/POLYU
<i>GLASS - CAB WINDOW</i>	TINTED WINDSHIELD, SIDE WINDOW
<i>GRAB HANDLES</i>	PREMIUM BL EXTERIOR CAB GRAB H
<i>ANTENNA, RADIO</i>	ANTENNA, RADIO, MIRROR MTD, RI
<i>AUDIO SHUTOFF</i>	WITHOUT AUTOMATIC AUDIO SHUTOF
<i>AIR CONDITIONING/HEATER</i>	BLEND AIR HVAC W/"ATC" TEMP RE
<i>COMMUNICATION RADIO</i>	WITHOUT COMMUNICATION RADIO
<i>FORWARD OVERHEAD STORAGE</i>	FRWRD OVRHD STG, 2 STG COMPMT
<i>AUXILIARY REAR WINDOW</i>	WITH AUX. REAR WINDOW - FIXED
<i>FIRE EXTINGUISHER</i>	5LB (ABC RATED) MOUNTED BETWEE
<i>EMBLEMS OPTION</i>	EMBLEMS OPTION, COMPLETE
<i>SATELLITE ANTENNA</i>	WITHOUT SATELLITE ANTENNA
<i>ANTENNA, CB RADIO</i>	MIRROR MOUNTED ANTENNA FOR CB-
<i>COM.RADIO PREP KIT (CB)</i>	CB MOUNTING, OVERHEAD COMP, VE
<i>AUDIO SPEAKER LOCATION</i>	SPEAKER LOCATION, IN DOORS, MI
<i>CAB GUARD, FRONT</i>	WITHOUT CAB GUARD
<i>ODOMETER</i>	NO HUBODOMETER PROVIDED
<i>AIR RESTRICTION INDICATOR</i>	WITHOUT AIR RESTRICTION INDICA

CAB (H THRU R)

<i>FOG LAMP TECHNOLOGY</i>	FOG LAMP TECHNOLOGY LED
<i>INFOTAINMENT SERVICES / FEATURES</i>	WITHOUT INFOTAINMENT SERVICES
<i>HEADLINER MATERIAL</i>	HEADLINER, VINYL
<i>INSTMNT CLUSTER LANGUAGE</i>	DEFAULT: ENGLISH, SPANISH, FRE
<i>INTERIOR TRIM LEVELS</i>	PREMIUM PACKAGE, STEEL GRAY (P
<i>DOOR OPENING OPTIONS</i>	DOOR OPENING OPTION, MANUAL
<i>CONVEX MIRROR HOOD & FEND</i>	CONVEX AERODYNAMIC HOOD MIRROR
<i>PERMIT PLATE</i>	WITHOUT PERMIT PLATE (FOR LEGA
<i>HORN - AIR</i>	BLACK TWIN TRUMPET, UNDER CAB
<i>HORN, ELECTRICAL</i>	2 SINGLE ELECTRIC HORN, DIFFER
<i>ROOF MARKER LIGHT</i>	TRUCKLITE CHROME BULLET LED T
<i>KEYED ALIKE CHASSIS</i>	ALL CHASSIS KEYED AT RANDOM -
<i>MIRRORS - EXTERIOR</i>	AERO MIRROR - BODY COLOR, HEAT
<i>MIRRORS - CONVEX TYPE CAB DOORS</i>	W/O CONVEX MIRROR
<i>MIRRORS - PROXIMITY</i>	WITHOUT PROXIMITY MIRROR
<i>PERSONALIZED NAME PLATE</i>	WITHOUT PERSONALIZED NAME PLAT
<i>RADIO/RADIO ACCOMODATION</i>	PREMIUM STEREO, AM/FM, CD-PLAY
<i>POWER LEADS</i>	POWER LEAD, 5WAY TYPE, HEADLIN
<i>IGNITION TYPE</i>	IGNITION TYPE, KEY
<i>AUXILIARY REFLECTORS</i>	WITHOUT AUXILIARY REFLECTORS
<i>ENGINE COMPARTMENT INSULATION</i>	ENGINE COMPARTMENT INSULATION,
<i>REAR WALL STORAGE COMPARTMENT</i>	REAR WALL STORAGE COMPARTMENT
<i>REFLECTOR KIT</i>	EMERGENCY REFLECTOR KIT MTD

CAB (S THRU Z)

<i>SEAT COVERING - DRIVER'S</i>	DRIVER'S SEAT - PREMIUM, STEEL
<i>SEAT COVERING - PASSENGER'S</i>	PASSENGER'S SEAT - PREMIUM, ST
<i>SECONDARY GAUGE PACKAGE</i>	2ND GA PKG W/BOOST PRESS,TRANS
<i>STORAGE BIN ABOVE DOORS</i>	WITHOUT STORAGE BIN ABOVE DOOR
<i>EXTERIOR SUN VISOR</i>	STAINLESS STEEL
<i>WINDOW CONTROLS</i>	POWER W/DOOR LOCK (LH&RH)-ELEC
<i>WINDSHIELD WIPERS</i>	TWO SPEED ELECTRIC MOTOR W/INT
<i>PEEP WINDOW - CAB</i>	WITHOUT PEEP WINDOW
<i>DRIVER'S SEAT</i>	MACK-AIR, HIGH BACK, 4 CHMBR A
<i>SEAT ARMREST</i>	SEAT ARMREST SINGLE , BOTH (D
<i>SEAT BELT REMINDER (CA)</i>	SEAT BELT REMINDER IN INSTRUME

SEAT SUPPORT, DUST COVER	SEAT SUPPORT, DUST COVER, DRIV
RIDER'S SEAT	MACK-FIXED, HIGH BACK
CHASSIS MOUNTED WORK LIGHTS	WITHOUT WORK LIGHT, CHASSIS MO
CAB SKIRT	WITHOUT CAB SKIRT
SEAT BELT(S)	LAP & SHOULDER (BOTH SEATS)
TURN SIGNALS	SELF CANCELLING TURN SIGNAL
SUNVISOR INTERIOR, FRONT	INTERNAL SUNVISOR FRONT, BASIC
CAB INSTEP VERSION	CAB STEP,BASIC
WINDSCREEN TYPE	SINGLE WINDSCREEN
CAB - SLEEPER BOX	
LOAD LOCK BRACKETS	WITHOUT LOAD LOCK BRKT, BACK O
AERODYNAMIC DEVICES	
AERODYN.DEVICE, CAB SKIRT	WITHOUT CABS SKIRT
AERODYNAMIC WHEEL CENTER COVER	WITHOUT AERODYNAMIC WHEEL CENT
REAR AERODYNAMIC FAIRING	WITHOUT REAR AERODYNAMIC FAIRI
ROOF FAIRING/SIDE SHIELDS	W/O PROVISIONS FOR AERO AIDS
CHASSIS FAIRINGS	WITHOUT CHASSIS FAIRINGS
AERO.DEV, CHASS GROUND EFFECTS	WITHOUT AERODYN. DEVICE, CHASS
WHEELS & TIRES	
WHEEL FINISHING, TRAILING	WITHOUT WHEEL FINISHING TRAILI
GHG STEER TIRE CATEGORY	GHG STEER TIRE CATEGORY, LOW R
TIRES BRAND/TYPE - FRONT	11R22.5 H BRIDGESTONE R 250ED
TIRE SPEED LIMIT	TIRE SPEED LIMIT BASIC
WHEELS - FRONT	22.5 X 8.25 ALUM DISC LVL ONE
WHEEL FINISHING, FRONT	WHEEL FINISHING FRONT, POLISHE
FRONT AXLE TIRE & WHEEL QUANTITY	TWO FRONT TIRES & WHEELS
GHG DRIVE TIRE CATEGORY	GHG DRIVE TIRE CATEGORY, BASIC
TIRES BRAND/TYPE - REAR	11R22.5 H BRIDGESTONE M7 99 (DRIVE ONLY)
WHEELS - REAR	22.5 X 8.25 LVL ONE ALCOA ALU
WHEEL NUT FINISH, REAR (CA)	WHEEL NUT BASIC FINISH, REAR
REAR DISC WHEEL:POLISH	POLISHED ALUMINUM, CONCAVE SI
REAR AXLE TIRE & WHEEL QUANTITY	EIGHT REAR AXLE TIRES & WHEELS
DRIVE WHEEL STUDS	DRIVE WHEEL STUDS, LONG
HUB/WHEEL ISOLATOR FRONT	HUD/WHEEL ISOLATOR FRONT - NYL
HUB/WHEEL ISOLATOR DRIVE	HUB/WHEEL ISOLATOR DRIVE-
WHEEL NUT & FINISH, FRONT	WHEEL NUT & FINISH BASIC, FRON
TIRE INFLATION VALVE	TIRE INFLATION VALVE, STANDARD
SPARE WHEEL	WITHOUT SPARE WHEEL
SPARE WHEEL CARRIER, POS	WITHOUT SPARE WHEEL CARRIER
HYDRAULIC JACK	W/O HYDRAULIC JACK
COMMUNICATION SYSTEMS	
SOFTWARE DOWNLOAD NOTIFICATION	WITHOUT SOFTWARE DOWNLOAD NOTI
SOFTWARE DOWNLOAD PASSWORD	WITHOUT SOFTWARE DOWNLOAD PASS
CO-PILOT - DISPLAY FEATURES	DISPLAY FEATURES ACCESS, FULL
ACCESS LEVEL	
QUAL-COMM FACTORY PREP KITS	WITHOUT COMMUNICATION/NAVIGATI
FLEET TRIP MANAGEMENT	WITHOUT FLEET TRIP MANAGEMENT
TELEMATIC GATEWAY	GUARDDOG CONNECT WITH 4G/LTE A
REMOTE SW UPGRADE SERVICES	REMOTE SOFTWARE UPGRADE ENABLE
VEHICLE ELECTRONICS	
AMBIENT TEMP UPPER LIMIT (GTA)	AMB TEMP HOT, UP TO +40C, WARM
PARTNERED SERVICES	W/O TELOGIS PACKAGE
PRE-TRIP DIAGNOSTIC INSPECTION (CA)	PRE-TRIP DIAGNOSTICS INSPECTIO
SERVICE ALERT SYSTEM	WITHOUT SERVICE ALERT SYSTEM
DRIVER ID, RESET TIMER	WITHOUT RESET DRIVER ID TIMER
DRIVER ID FUNCTION	DRIVER ID FUNCTION, DISABLED
CUSTOMER UNIQUE VEHICLE PARAM (CA)	WITHOUT CUSTOMER UNIQUE VEHICL
DRIVER ID, ALERT TIMER	WITHOUT DRIVER ID ALERT TIMER
EHT, JUMP TO MIN ENG SPEED	WITHOUT ELECTRONIC HAND THROTT
FUEL ECON CALC DISTANCE INTER	WITHOUT FUEL ECONOMY CALCULATI
FUEL ECONOMY PENALTY TARGET	WITHOUT FUEL ECONOMY PENALTY T

<i>FUEL ECONOMY REWARD TARGET</i>	WITHOUT FUEL ECONOMY REWARD TA
<i>ENG TORQUE LIMIT,SPEED SENSOR</i>	ENG TORQUE LIMITED TO 50%, IF
<i>IDLE S/D IF PTO ACTIVE</i>	WITHOUT ENGINE IDLE SHUTDOWN T
<i>ENGINE IDLE COOLDOWN</i>	ENGINE IDLE COOLDOWN, DISABLE
<i>EL HD THROTTLE,MAX ROAD SPEED</i>	ELECTRONIC HAND THROTTLE, MAX
<i>EL HAND THROTTLE,MIN ENG SPEED</i>	ELECTRONIC HAND THROTTLE, MIN
<i>EL HAND THROTTLE,MAX ENG SPEED</i>	ELECTRONIC HAND THROTTLE, MAX
<i>EL HD THROTTLE,SGL SPEED CNTRL</i>	WITHOUT ELECTRONIC HAND THROTT
<i>EL HAND THROTTLE,SGL SPEED SET</i>	WITHOUT ELECTRONIC HAND THROTT
<i>EL HD THROTTLE,SPEED RAMP RATE</i>	WITHOUT ELECTRONIC HAND THROTT
<i>ENG FAN CNTL, A/C ON, TIME SET</i>	WITHOUT ENG FAN CONTROL, A/C O
<i>FAN ENGAGEMENT DUE TO PTO</i>	WITHOUT FAN ENGAGEMENT DUE TO
<i>ENG FAN CONTROL,MOVING VEHICLE</i>	WITHOUT ENG FAN CONTROL, MOVIN
<i>ENG.FAN CNTL MVG VHC.TIME SET</i>	WITHOUT ENG FAN CONTROL, MOVIN
<i>ENGINE IDLE SHUTDOWN TIME</i>	IDLE SHUTDOWN TIME 10 MIN.
<i>CRUISE RESUME WITH CLUTCH</i>	CRUISE RESUME WITH CLUTCH
<i>ENG BRK ENGAGE IN CRUISE</i>	ENG BRK ENGAGE IN CRUISE, 3 MP
<i>FUEL ECONOMY INCENTIVE PROGRAM</i>	WITHOUT FUEL ECONOMY INCENTIVE
<i>FUEL ECON RWRD, SPD LMT INCRS</i>	WITHOUT FUEL ECONOMY REWARD, S
<i>FUEL ECON PNLTY, SPD LMT DCRS</i>	WITHOUT FUEL ECONOMY PENALTY,
<i>PTO 1ST, SINGLE SPEED CONTROL</i>	WITHOUT PTO 1ST, SINGLE SPEED
<i>PTO1 SINGLE SPEED CONTROL RPM.</i>	WITHOUT PTO 1ST, SINGLE SPEED
<i>PTO 1ST, MAX ROAD SPEED</i>	WITHOUT 1ST PTO, MAX ROAD SPEE
<i>PTO 1ST, SPEED RAMP RATE</i>	WITHOUT PTO 1ST, SPEED RAMP RA
<i>PTO 1ST, MAX ENGINE SPEED</i>	WITHOUT PTO 1ST, MAX ENGINE SP
<i>PTO 1ST, ROAD SPEED LIMIT</i>	WITHOUT PTO 1ST, ROAD SPEED LI
<i>PTO 1ST, MINIMUM ENGINE SPEED</i>	WITHOUT PTO 1ST, MINIMUM ENGIN
<i>PTO 1ST,AUTO SET SINGLE SPEED</i>	PTO 1ST, AUTO SET SINGLE SPEE
<i>ENGINE IDLE DELAY TO LOG</i>	ENGINE IDLE DELAY TO START LOG
<i>ENGINE OVERSPEED,FUELED, LOG</i>	ENGINE OVERSPEED, FUELED, TIME
<i>IDLE SHUTDOWN</i>	ENGINE IDLE SHUTDOWN, DISABLE
<i>VEHICLE OVERSPEED, FUELED, LOG</i>	VEHICLE OVERSPEED, FUELED, TIM
<i>VEHICLE OVERSPEED,ALL COND,LOG</i>	VEHICLE OVERSPEED,ALL COND, TI
<i>ENGINE OVERSPEED,ALL COND, LOG</i>	ENGINE OVERSPEED, ALL CONDITIO
<i>PTO 2ND, MINIMUM ENGINE SPEED</i>	WITHOUT PTO 2ND, MINIMUM ENGIN
<i>PTO 2ND, SPEED RAMP RATE</i>	WITHOUT PTO 2ND, SPEED RAMP RA
<i>PTO 2ND, MAX ROAD SPEED</i>	WITHOUT 2ND PTO, MAX ROAD SPEE
<i>PTO 2ND, SINGLE SPEED CONTROL</i>	WITHOUT 2ND PTO, SINGLE SPEED
<i>PTO 2ND,AUTO SET SINGLE SPEED</i>	PTO 2ND, AUTO SET SINGLE SPEE
<i>PTO 2ND, ROAD SPEED LIMIT</i>	WITHOUT PTO 2ND, ROAD SPEED LI
<i>PTO 2ND, SINGLE SPEED SETTING</i>	WITHOUT PTO 2ND, SINGLE SPEED
<i>PTO 2ND, MAX ENGINE SPEED</i>	WITHOUT PTO 2ND, MAX ENGINE SP
<i>LOW IDLE RPM ADJUSTEMENT</i>	WITHOUT LOW IDLE RPM ADJUSTMEN
<i>ROAD SPEED LIMITER SETTING</i>	105 KM/HOUR ROAD SPEED LIMITER
<i>PEDAL RSL SETTING</i>	105 KM/H PEDAL ROAD SPEED LIMI
<i>CRUISE CONTROL, MAX SPEED</i>	MAX CRUISE, 105 KPH (65 MPH)
<i>CRUISE CONTROL MIN SPEED</i>	MIN CRUISE, 32 KPH (20 MPH)
<i>ENGINE PROTECTION SYSTEM</i>	ENGINE PROTECTION (SHUTDOWN)
<i>ENGINE IDLE CONTROL</i>	IDLE CONTROL, 650 RPM
<i>ENGINE IDLE ADJUST</i>	WITHOUT ENGINE IDLE ADJUST
<i>LOW GEAR LIMITING FEATURE</i>	WITHOUT LOWER GEAR VEHICLE LIM
<i>LOW GEAR LIMITING SPEED</i>	WITHOUT LOW GEAR VEHICLE LIMIT
<i>MAINTENANCE DUE ALERT %</i>	WITHOUT MAINTENANCE DUE ALERT
<i>PERIODIC TRIP LOG HOUR OF DAY</i>	WITHOUT PERIODIC TRIP LOG, HOU
<i>PERIODIC TRIP LOG DAY OF WEEK</i>	WITHOUT PERIODIC TRIP LOG, DAY
<i>PERIODIC TRIP LOG DAY OF MONTH</i>	PERIODIC TRIP LOG, DAY 1 OF TH
<i>COOLANT LEVEL, ENGINE SHUTDOWN</i>	WITHOUT COOLANT LEVEL ENGINE S
<i>COOLANT TEMP, ENGINE SHUTDOWN</i>	COOLANT TEMP, ENGINE SHUTDOWN
<i>OIL PRESSURE, ENGINE SHUTDOWN</i>	OIL PRESSURE, ENGINE SHUTDOWN
<i>DRL OVERRIDE SW TIMED</i>	WITHOUT DAYTIME RUNNING LAMP O
<i>DRL OVERRIDE SPEED THRESHOLD</i>	WITHOUT DRL OVERRIDE SPEED THR
<i>PTO 1ST,JUMP TO MIN ENG SPEED</i>	WITHOUT PTO 1ST, JUMP TO MINIM
<i>PTO 2ND,JUMP TO MIN ENG SPEED</i>	WITHOUT PTO 2ND, JUMP TO MINIM

VEHICLE APP SERVICE INTERVALS	WITHOUT SERVICE INTERVALS (USE
SERVICE ALERT	WITHOUT SERVICE ALERT
IDLE S/D WARM-UP TIMER	5 MIN. WARM UP TIME DELAY
ENG FAN CNTL, STAT VEHICLE	WITHOUT ENG FAN CONTROL, STATI
HIGH IDLE SPEED-UPPER GRS RPM	WITHOUT ENGINE HIGH IDLE SPEED
IDLE S/D IF EHT ACTIVE	WITHOUT ENGINE IDLE SHUTDOWN T
IDLE S/D IF WARM-UP TEMP	38C DEG (100F), WARM UP TEMP D
IDLE SHUTDOWN CONTROL	WITHOUT IDLE SHUTDOWN CONTROL
IDLE SHUTDOWN IF POWER > LIMIT	ENG IDLE SHUTDOWN TIME OVERRID
DETECTION SPEED SENSR TMRNG	DETECTION OF SPEED SENSOR TAMP
CRUISE CONTROL	WITH CRUISE CONTROL
ACCELERATOR LIMITER	WITHOUT ACCELERATOR LIMITER
MASS SENSING TORQUE LIMITATION	WITHOUT MASS SENSING TORQUE LI
AMBIENT TEMP MIN TRESHOLD	AMBIENT TEMP MIN TRESHOLD, 16
AMBIENT TEMP MAX TRESHOLD	AMBIENT TEMP MAX TRESHOLD, 27
PDLO ENGAGE VLS FEATURE	DISABLE POWER DIVIDER LOCK OUT
PDLO ENGAGED VLS	POWER DIVIDER LOCK OUT (PDLO)
PTO2 HOLD TO NEAREST RPM	WITHOUT PTO2 HOLD
PTO2 ACCEL BUMP-UP RPM	WITHOUT PTO2 ACCEL "BUMP-UP"
PTO2 DECEL BUMP-DOWN RPM	WITHOUT PTO2 DECEL "BUMP-DOWN"
PTO1 HOLD TO NEAREST RPM	WITHOUT PTO1 HOLD
PTO1 ACCEL BUMP-UP RPM	WITHOUT PTO1 ACCEL "BUMP-UP"
PTO1 DECEL BUMP-DOWN RPM	WITHOUT PTO1 DECEL "BUMP-DOWN"
EHT HOLD TO NEAREST RPM	WITHOUT ELECTRONIC HAND THROTT
EHT ACCEL BUMP-UP RPM	WITHOUT ELECTRONIC HAND THROTT
EHT DECEL BUMP-DOWN RPM	WITHOUT ELECTRONIC HAND THROTT
IDLE S/D ABS TAMPER CHECK	IDLE SHUTDOWN ABS TAMPER CHECK
IDLE S/D OVERRIDE %ENGINE LOAD	IDLE SHUTDOWN OVERRIDE UPTO 20%
ROAD SPEED LIMIT CONTROL TYPE	WITH RSL CONTROL TYPE NORMAL
HIGH IDLE SPEED-UPR GRS FEATUR	ENGINE HIGH IDLE SPEED IN UPPE
1ST RATIO FOR REDUCD HIGH IDLE	WITHOUT 1ST RATIO FOR REDUCED
TRANS PTO2 SPLITTER RANGE	TRANSMISSION PTO2 SPLIT GEAR R
TRANS PTO1 SPLITTER RANGE	TRANSMISSION PTO1 SPLIT GEAR R
LAST RATIO FOR FULL HIGH IDLE	WITHOUT LAST RATIO FOR FULL HI
MAXIMUM ENG SPEED AT 0 MPH	1950 MAXIMUM ENGINE SPEED AT 0
ACB VOLUME LEVEL	WITHOUT CWS VOLUME LEVEL

PAINT

PAINT/VINYL STRIPING - CAB EXTERIOR	PAINT: SINGLE COLOR W/OUT DESIG
PAINT COLOR - AREA A	GLACIER WHITE ; P3029
PAINT TYPE	SOLID PAINT
PAINT COLOR - AREA B	NO SECOND TRUCK COLOR PROVIDED
PAINT COLOR - AREA C	NO THIRD TRUCK COLOR PROVIDED;
PAINT - CAB PAINT SYSTEM	POLY BASE-POLY CLEAR
CAB COLOR	SAME AS FIRST COLOR - CAB
PAINT: HOOD COLOR	SAME AS FIRST COLOR- HOOD
PAINT: SLEEPER ROOF COLOR	WITHOUT SLEEPER ROOF COLOR
PAINT: ROOF FAIRING COLOR	WITHOUT ROOF FAIRING
PAINT - CHASSIS RUNNING GEAR	MACK BLACK; P3036
MIRROR COVER COLOR	SAME AS FIRST COLOR
PAINT: BUMPER	BUMPER SAME AS FIRST COLOR
PAINT:FUEL TANK	W/O OPTIONAL FUEL TANK PAINT
FUEL TANK PAINT PROCESS CODE	FUEL TANK PAINT PROCESS, NOT P
FRONT WHEEL PAINT	WITHOUT (UNPAINTED)
DRIVE WHEEL PAINT	WITHOUT (UNPAINTED)
PAINT:DISC WHEELS-FRONT	WITHOUT PAINT
PAINT:DISC WHEELS-REAR	WITHOUT PAINT
PAINT:HUBS & DRUMS-FRONT	SAME AS CHASSIS RUNNUNG GEAR
PAINT:HUBS & DRUMS-REAR	SAME AS CHASSIS RUNNING GEAR

CALCULATED CODES - KAX

FIFTH WHEEL LEG-HEIGHT	173MM (6.81"), FIFTH WHEEL LEG
PROPCALC SELECTION	YES, THE ORDER MUST BE CALCULA
AUTO ROUTING & CLIPPING, CENTER	AUTOMATIC ROUTING & CLIPPING P

BASE WARRANTY & PURCHASED COVERAGES

WARRANTY REGISTRATION LOCATION US & CANADA BASIC CHASSIS COVERAGE	CANADA - WARRANTY REGISTRATION HEAVY DUTY STANDARD BASE COVER
ENGINE WARRANTY	MACK MP7/MP8 BASE ENGINE COVER
EMISSION COMPONENT COVERAGE	US AND CANADA EQUIPPED VEHICLE
TRANSMISSION WARRANTY <i>mDrive HD Clutch Protection Plan</i>	36 MO/250K MI: STANDARD MDRIVE WITHOUT MDRIVE CLUTCH PROTECTI
CARRIER & AXLE HOUSING WARRANTY	STANDARD VENDOR NORMAL / HEAVY
AIR CONDITIONING WARRANTY	AIR CONDITIONING STANDARD COVE
CHASSIS TOWING WARRANTY	STANDARD NORMAL / HEAVY DUTY C
ENGINE TOWING WARRANTY	STANDARD MACK ENGINE TOWING CO
TURBO COMPOUND PROTECTION PLANS	W/O TURBO COMPOUND PROTECTION
GUARDDOG CONNECT BUNDLE	24 MNTH - GUARDDOG CONNECT WIT
OMNITRACS FOR MACK TRUCKS	WITHOUT OMNITRACS FOR MACK TRU
PREMIUM MAINTENANCE - CHASSIS LUBE AND INSPECTION	W/OUT PREMIUM MAINTENANCE - CH
ALTERNATOR & STARTER WARRANTY	W/O ALTERNATOR AND STARTER EXT
ALTERNATOR WARRANTY	W/O ALTERNATOR PURCHASED COVER
INTERNAL WARRANTY USE ONLY	W/O CUSTOM/BUNDLED PURCHASE CO
MACK ENGINE EXHAUST AFTER TREATMENT COVERAGE	W/O MACK ENGINE EXHAUST AFTERT
PREMIUM MAINTENANCE AFTERTREATMENT PLAN	W/O AFTERTREATMENT PREMIUM MAI
PREMIUM MAINTENANCE PLAN 1 & PLAN 2	W/O PREMIUM MAINTENANCE PLAN
STARTER WARRANTY	W/O STARTER PURCHASED COVERAGE

EXTRAS:

IMPORTANT: All specifications are subject to change. Dollars are US dollars.